

# NEUATION




MAKE WAY FOR  
PERFECTION

**iStir Uno/Quattro**  
(Motorless Slim Magnetic Stirrer)

## iStir Uno/Quattro (Motorless Slim Magnetic Stirrer)

Magnetic stirrers come in all shapes and sizes, but ultimately performance and durability matter the most to users. As a result, most manufacturers of magnetic stirrers make tall claims of high performance, lasting durability and convenient features. But, users soon discover that such devices are made from low-quality components and materials to cut costs which results in major issues like corrosive top surface, wear and tear in motor coil, etc. Also, a lack of time saving and convenience features like timer function, clockwise & counterclockwise motion results in a less than satisfying experience for the user.

What use is an investment if it doesn't give good returns. With Neuation's extensive expertise in developing quality lab equipment, you get the benefits of a device which is built around your stirring requirements. With a dedicated R&D department focused on understanding user-experience and feedback, we designed and developed iStir Uno/Quattro for reliable performance and years of durability. With a motor-less design, the device offers exceptional performance without the hassle of maintenance. The stainless steel top surface of the device also offers excellent resistance against corrosion which time-saving features like variable timer setting and CC/CCW motion save your effort and time for higher productivity.



## Product Features



Zero Moving Parts  
Which Makes It Truly  
Maintenance Free



IP65 Class Compliant  
Rating Makes It  
Water Spill Resistant.



Maximum Stirring  
Capacity 800 MI (Uno)  
/ 4 X 400 MI (Quattro)



Allows The User To Set  
Speeds From 15-1500 Rpm  
(istir Uno) And 15-1200  
(istir Quattro) With  
Increments Of 50 Rpm.


Variable Timer Setting  
Allows The User To Set The  
Timer From 1 To 99 Minutes  
Along With An Infinite Mode.



Pulse Mode For Reversing  
The Stirring Direction Every  
30 Seconds For Complete And  
Efficient Mixing Of The Solution.



Microprocessor Enables  
Quick And Easy Setting  
Of Parameters While Also  
Providing Last Run Function



Digital Display Allows  
The User To Gather All  
The Relevant Information  
In A Single Glance.



## Product Features



Stainless Steel Top Surface  
Provides Excellent Chemical  
& Corrosion Resistance



Extremely Compact  
Device Ensures High  
Portability & Convenience.

PTFE Coated High-strength  
Stir Bar Of 25 MM Length  
For High Durability.



## Specifications

Specifications	iStir Uno
Speed Setting	15 to 1500 RPM (at every 50 RPM)
Display	Digital Display
Max. Capacity	800 ml
Recommended Stir bar length	25 mm
Pulse Function	Yes
Timer	1 to 99 mins & infinite mode
Last run memory	Yes
Dimension (W X D X H)	156 x 110 x 13.2 mm
Weight	400 gm
Protection Class	IP 65

Specifications	iStir Quattro
Speed Setting	15 to 1200 RPM (at every 50 RPM)
Digital Display	Yes
Load Capacity	4 x 400 ml
Recommended Stir bar length	25 mm
Pulse Function	Yes
Timer	1 to 99 mins and continuous
Last run memory	Yes
Dimension (W X D X H)	457 x 126 x 13.4 mm
Weight	1.9 kg
Protection Class	IP 65

## Ordering Information

iStir Uno		
Product Name	Cat #	Details
iStir UNO	MS01-1111 (Interchangable Pin)	Single station motorless stirrer

iStir Quattro		
Product Name	Cat #	Details
iStir Quattro	MS01-4110EU/US/UK/AU	4 station motorless stirrer

# NEUATION

www.neuation.com

AN ISO 9001 : 2015 & ISO 13485 : 2016 CERTIFIED MFG. COMPANY

\*We also execute OEM projects. Specifications can be changed without notice for quality improvement.